



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
-----------------	-------------	----------------------	---------------------	------------------

10/694,772

10/29/2003

Yosuke Miki

71450.0009

6726

57362 7590 07/11/2007
AKERMAN SENTERFITT
801 PENNSYLVANIA AVENUE N.W.
SUITE 600
WASHINGTON, DC 20004

EXAMINER

VERBITSKY, GAIL KAPLAN

ART UNIT

PAPER NUMBER

2859.

MAIL DATE

DELIVERY MODE

07/11/2007

PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

Office Action Summary

Application No.

10/694,772

Applicant(s)

MIKI ET AL.

Examiner

Gail Verbitsky

Art Unit

2859

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 02/21/07, 02/28/07.
- 2a) ☒ This action is **FINAL**. 2b) ☐ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1-5 and 18 is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 1-5 and 18 is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on _____ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some * c) ☐ None of:
- ☐ Certified copies of the priority documents have been received.
 - ☐ Certified copies of the priority documents have been received in Application No. _____.
 - ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- 1) ☒ Notice of References Cited (PTO-892)
- 2) ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
- 3) ☒ Information Disclosure Statement(s) (PTO/SB/08)
Paper No(s)/Mail Date 02/21/07, 02/28/07.
- 4) ☐ Interview Summary (PTO-413)
Paper No(s)/Mail Date. _____
- 5) ☐ Notice of Informal Patent Application
- 6) ☒ Other: Attachment #1

Art Unit: 2859

DETAILED ACTION


1. In view of the newly submitted IDS (02/21/2007), PROSECUTION IS HEREBY REOPENED.

To avoid abandonment of the application, appellant must exercise one of the following two options:

(1) file a reply under 37 CFR 1.111 (if this Office action is non-final) or a reply under 37 CFR 1.113 (if this Office action is final); or,

(2) initiate a new appeal by filing a notice of appeal under 37 CFR 41.31 followed by an appeal brief under 37 CFR 41.37. The previously paid notice of appeal fee and appeal brief fee can be applied to the new appeal. If, however, the appeal fees set forth in 37 CFR 41.20 have been increased since they were previously paid, then appellant must pay the difference between the increased fees and the amount previously paid.

A Supervisory Patent Examiner (SPE) has approved of reopening prosecution by signing below:


John Barlow
Supervisory Patent Examiner
Technology Center 2800

Claim Rejections - 35 USC § 103

2. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

2. Claims 1, 3-5 are finally rejected under 35 U.S.C. 103(a) as being unpatentable over Schermund (U.S. 6341892) in view of Japan Publication 62259025 [hereinafter JP].

Schermund discloses in Fig. 2 a device comprising a base insulating substrate/board having a conductive layer comprising a temperature detecting portion formed as a wiring made of a thin film platinum/ metal foil) 16 formed in a serpentine pattern (wiring folded in such continuous form that adjacent parts of the wiring parallel are spaced apart from each other at a predetermined interval), as shown in Fig. 2. The portion 16, inherently, changes its resistivity (specific resistance) proportionally to a temperature change. As shown in Fig. 2, the conductor layer formed entirely to the base insulating layer in a predetermined (desired) pattern, wherein the base insulating layer has a generally rectangular flat strip shape (thin) with generally rectangular widened end portions A, B and a central portion C. The conductive layer, inherently, changes its resistance (specific) proportional to a temperature change. The base insulating layer is formed on to one side (under one side) of the conductor layer. The temperature-detecting portion D is formed on the top of the base insulating layer at the generally rectangular flat widened portion A. (The numerals A-D have been added by the examiner, see attachment # 1 to the Office action).

Schermund does not explicitly teach a flexible wired circuit board, as stated in the preamble of claim 1. Schermund does not teach the particular shape of the board.

JP teaches a device having a circuit board with flat widened ends, a flat surface and narrow central portion as shown in the figure, therefore, JP teaches the same shape as claimed by applicant.

Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made, to modify the circuit board, disclosed by Schmermund, because the particular shape of the circuit board, absent any criticality, is only considered to be an obvious modification of the shape disclosed by because the particular shape of the conductor layer, absent any criticality, is only considered to be an obvious modification of the shape disclosed by Schmermund, because the court has held that a change in shape or configuration, without criticality, is within the level of skill in the art as the particular shape claimed by applicant is nothing more than one of numerous shapes that a person having ordinary skill in the art will find obvious to provide. In re Dailey, 149 USPO 47 (CCPA 1976).

With respect to the preamble of claim 1: the preamble of the claims does not provide enough patentable weight because it has been held that a preamble is denied the effect of a limitation where the claim is drawn to a structure and a portion of the claim following the preamble is a self-contained description of the structure not depending for completeness upon the introductory clause. Kropa v. Robie, 88 USPQ 478 (CCPA 1951).

Schmermund does not explicitly teach the limitations of claims 4 and 5.

For claim 4: the particular length of the temperature detecting portion, i.e., 50 mm or more, as stated in claim 4, absent any criticality, is only considered to be the "optimum" length of the temperature detecting portion used by Schmermund that a person having ordinary skill in the art at the time the invention was made would have been able to determine using routine experimentation based, among other things, on the temperature range to be measured, etc. See In re Boesch, 205 USPO 215 (CCPA 1980).

For claim 5: the particular pitch, space between the adjacent parts of the temperature detecting portion, i.e., 100 microns or more, as stated in claim 5, absent any criticality, is only considered to be the "optimum" pitch of the temperature detecting portion used by Schmermund that a person having ordinary skill in the art at the time the invention was made would have been able to determine using routine experimentation based, among other things, on the temperature range to be measured, etc. See In re Boesch, 205 USPO 215 (CCPA 1980).

3. Claim 18 is finally rejected under 35 U.S.C. 103(a) as being unpatentable over Kiec et al. (U.S. 5134248) [hereinafter Kiec] in view of JP, Sommer and Wienand (U.S. 5037488).

Kiec discloses in Figs. 1 and 6B a flexible wired board/ device/ RTD comprising a base insulating layer/ barrier 16, a cover insulating layer/ barrier 16, a conductor layer comprising a resistive pattern/ metal foil/ film (temperature measuring sensor-wiring) 12 formed onto the base insulating layer 16 and covered with the cover insulating layer 16, and a main wiring (leads) 14. The resistive pattern 12 can be a serpentine shape, as shown in Fig. 6B, or any desired shape (col. 10, lines 1-12). Kiec states that any metal could serve as the resistive pattern 12 of the conductor (col. 5, lines 49-50). The base insulating layer has a generally rectangular flat strip shape (thin) with generally rectangular widened end portions A, B and a widened central portion C. The temperature measuring sensor wiring, as shown in Fig. 1, is positioned on the base insulating layer at its widened flat end portions and at its widened flat central portion. (The numerals A-C have been added by the Examiner, see attachment # 2 to the Office action).

Kiec does not teach that the conductor is a stainless steel, and that the insulating layers are polyimide, as stated in claim 18. Kiec does not teach the particular shape of the circuit, as stated in claim 1.

JP teaches a device having a circuit board with flat widened ends, a flat surface and narrow central portion as shown in the figure, therefore, JP teaches the same shape as claimed by applicant.

Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made, to modify the circuit board, disclosed by Kiec, because the particular shape of the circuit board, absent any criticality, is only considered to be an obvious modification of the

Art Unit: 2859

shape disclosed by Kiec, because the court has held that change in shape or configuration, without criticality, is within the level of skill in the art as the particular shape claimed by applicant is nothing more than one of numerous shapes that a person having ordinary skill in the art will find obvious to provide using routine experimentation based, among other things, on the shape of the object of interest whose temperature is to be measured, and on the other intended use. In re Daily, 149 USPQ 47 (CCPA 1976).

Sommer discloses in Figs. 4-5 a device in the field of applicant's endeavor wherein; a conductor layer is a stainless steel mask (foil) 18 is placed over an insulating substrate/ layer.

Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to modify the device disclosed by Kiec, so as to make the conductor layer of a stainless steel, as taught by Sommer, because the particular material, i.e., stainless steel, as stated in claim 18, for the conductor layer, absent any criticality, is only considered to be the "optimum" material that a person having ordinary skill in the art at the time the invention was made using routine experimentation would have found obvious to provide for the conductor layer, disclosed by Kiec since it has been held to be a matter of obvious design choice and within the general skill of a worker in the art to select a known material on the basis of its suitability for the intended use of the invention. In re Leshin, 125 USPQ 416.

Wienand discloses a device in the field of applicant's endeavor wherein, a temperature sensing resistance/ conductor layer disposed upon an elastic insulating base/ board/ carrier made of polyimide. As shown in Fig. 1, the conductor layer has a main wiring portion 3 and temperature sensing wiring portion 5 formed as one piece in a predetermined (desired) pattern.

Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to modify the device disclosed by Kiec, so as to make the base insulating layer of polyimide, as taught by Wienand, because this particular material is very well known in the art as a heat resistant material, commonly used with temperature sensors for exhausts.

Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to modify the device disclosed by Kiec, so as to make distinct main portion and temperature measuring portion while in one piece, as taught by Wienand, because the particular shape of the conductor layer, absent any criticality, is only considered to be an obvious modification of the shape disclosed by Kiec because the court has held that a change in shape or configuration, without criticality, is within the level of skill in the art as the particular shape claimed by applicant is nothing more than one of numerous shapes that a person having ordinary skill in the art will find obvious to provide. In re Dailey, 149 USPQ 47 (CCPA 1976).

Also, with respect to the particular material, i.e., polyimide, to make the cover insulating layer, as stated in claim 18: the use of the particular material, i.e., polyimide, as stated in claim 18, for the cover layer, absent any criticality, is only considered to be the "optimum" material that a person having ordinary skill in the art at the time the invention was made using routine experimentation would have found obvious to provide for the cover layer disclosed by Kiec since it has been held to be a matter of obvious design choice and within the general skill of a worker in the art to select a known material on the basis of its suitability for the intended use of the invention. In re Leshin, 125 USPQ 416.

4. Claims 1, 3-5 are finally rejected under 35 U.S.C. 103(a) as being unpatentable over Schultz et al. (U.S. 5053740) [hereinafter Schultz] in view of JP.

Schultz discloses in Fig. 2 a device/ circuit board for measuring temperature. The device comprises a conductor layer (metal foil) 16 formed in a serpentine shape (continuous shape, as claimed by applicant) and comprising a temperature measuring wiring 16 and a main wiring 16a and 16b. The temperature sensing wiring 16 is substantially positioned on one end portion A of a generally rectangular base insulating layer 14 attached one side (bottom side) the conductor. The main wiring 16a and 16b is positioned on the another end portion B of the base insulating layer, wherein, the base insulating layer comprising flat widened end portions A and B and a flat widened central portion C (the numerals A-C have been added by the examiner, see attachment # 3 to the Office action).

JP teaches a device having a circuit board with flat widened ends, a flat surface and narrow central portion as shown in the figure, therefore, JP teaches the same shape as claimed by applicant.

Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made, to modify the circuit board, disclosed by Kiec, because the particular shape of the circuit board, absent any criticality, is only considered to be an obvious modification of the shape disclosed by Kiec, because the court has held that change in shape or configuration, without criticality, is within the level of skill in the art as the particular shape claimed by applicant is nothing more than one of numerous shapes that a person having ordinary skill in the art will find obvious to provide using routine experimentation based, among other things, on the shape of the object of interest whose temperature is to be measured, and on the other intended use. In re Daily, 149 USPQ 47 (CCPA 1976).

Art Unit: 2859

With respect to the preamble of claim 1: the preamble of the claims does not provide enough patentable weight because it has been held that a preamble is denied the effect of a limitation where the claim is drawn to a structure and a portion of the claim following the preamble is a self-contained description of the structure not depending for completeness upon the introductory clause. Kropa v. Robie, 88 USPQ 478 (CCPA 1951).

Schultz does not explicitly teach the limitations of claims 4 and 5.

For claim 4: the particular length of the temperature detecting portion, i.e., 50 mm or more, as stated in claim 4, absent any criticality, is only considered to be the "optimum" length of the temperature detecting portion used by Schmermund that a person having ordinary skill in the art at the time the invention was made would have been able to determine using routine experimentation based, among other things, on the temperature range to be measured, etc. See In re Boesch, 205 USPQ 215 (CCPA 1980).

For claim 5: the particular pitch, space between the adjacent parts of the temperature detecting portion, i.e., 100 microns or more, as stated in claim 5, absent any criticality, is only considered to be the "optimum" pitch of the temperature detecting portion used by Schmermund that a person having ordinary skill in the art at the time the invention was made would have been able to determine using routine experimentation based, among other things, on the temperature range to be measured, etc. See In re Boesch, 205 USPQ 215 (CCPA 1980).

5. Claim 2 is finally rejected under 35 U.S.C. 103(a) as being unpatentable over Schultz et al. (U.S. 5053740) [hereinafter Schultz] and JP, as applied to claims 1, 3-5 above, and further in view of Sommer.

Schultz and JP disclose the device as stated above.

They do not explicitly teach the limitations of claim 2.

Sommer discloses in Figs. 4-5 a device in the field of applicant's endeavor wherein; a conductor layer is a stainless steel mask (foil) 18 is placed over an insulating substrate/ layer.

Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to modify the device disclosed by Schultz, so as to make the conductor layer

Art Unit: 2859

of a stainless steel, as taught by Sommer, because the particular material, i.e., stainless steel, as stated in claim 18, for the conductor layer, absent any criticality, is only considered to be the “optimum” material that a person having ordinary skill in the art at the time the invention was made using routine experimentation would have found obvious to provide for the conductor layer, disclosed by Schultz since it has been held to be a matter of obvious design choice and within the general skill of a worker in the art to select a known material on the basis of its suitability for the intended use of the invention. In re Leshin, 125 USPQ 416.

6. Claim 2 is finally rejected under 35 U.S.C. 103(a) as being unpatentable over Schultz et al. (U.S. 5053740) [hereinafter Schultz] and JP, as applied to claims 1, 3-5 above, and further in view of JP 61179764A [hereinafter JP2].

Schultz and JP disclose the device as stated above.

They do not explicitly teach the limitations of claim 2.

JP2 teaches a conductor layer can be either aluminum or a stainless steel film.

Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to modify the device disclosed by Schultz and JP, so as to make the conductor layer of a stainless steel, as taught by JP2, because the particular material, i.e., stainless steel, as stated in claim 2, for the conductor layer, absent any criticality, is only considered to be the “optimum” material that a person having ordinary skill in the art at the time the invention was made using routine experimentation would have found obvious to provide for the conductor layer, disclosed by Schultz and JP, since it has been held to be a matter of obvious design choice and within the general skill of a worker in the art to select a known material on the basis of its suitability for the intended use of the invention. In re Leshin, 125 USPQ 416.

7. Claim 2 is finally rejected under 35 U.S.C. 103(a) as being unpatentable over Schmermund and JP, as applied to claims 1, 3-5 above, and further in view of JP 61179764A [hereinafter JP2].

Schmermund and JP disclose the device as stated above.

They do not explicitly teach the limitations of claim 2.

JP2 teaches a conductor layer can be either aluminum or a stainless steel film.

Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to modify the device disclosed by Schmermund and JP, so as to make the conductor layer of a stainless steel, as taught by JP2, because the particular material, i.e., stainless steel, as stated in claim 2, for the conductor layer, absent any criticality, is only considered to be the "optimum" material that a person having ordinary skill in the art at the time the invention was made using routine experimentation would have found obvious to provide for the conductor layer, disclosed by Schmermund since it has been held to be a matter of obvious design choice and within the general skill of a worker in the art to select a known material on the basis of its suitability for the intended use of the

Response to Arguments

8. Applicant's arguments with respect to claims 1-5 and 18 have been considered but are moot in view of the new ground(s) of rejection.

Conclusion

9. **THIS ACTION IS MADE FINAL.** Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

Art Unit: 2859

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the mailing date of this final action.

The prior art made of record and not relied upon is considered pertinent to applicant's disclosure. The prior art cited in the PTO-892 and not mentioned above disclose related devices and methods.

Shoberger (U.S. 6077228) discloses a temperature sensing device comprising a flat flexible substrate (flex wired circuit board), a conductor layer including temperature sensing elements (thermistors) formed as wiring from a metal (foil) of a predetermined pattern, as shown in Fig. 2, the conductor layer having two sides; a base insulating layer having two sides, wherein the conductor layer is positioned on the base insulating layer with one side. It is inherent, that the metal foil of the conductor layer has predetermined relationship/ change in resistance with change in temperature to be measured.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Gail Verbitsky whose telephone number is 571/ 272-2253. The examiner can normally be reached on 7:30 to 4:00 ET.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Diego Gutierrez can be reached on 571/ 272-2245. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Art Unit: 2859

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

GKV

Gail Verbitsky

Primary Patent Examiner, TC 2800



July 05, 2007

Schmermund


(10694772)

U.S. Patent

Jan. 29, 2002

Sheet 1 of 2

US 6,341,892 B1



attachment # 1

(06 07/08/05)

05/03/2007

07/05/2007